

Configure Open Links in FormsViewer

Prerequisites:

- You should already have FormsViewer installed on the site that contains your form library or list.
- You should already have your form template uploaded to the Manage Templates page in FormsViewer.

Steps.


- 1) Open the **FVLinks.js** file in a text editor, such as Notepad.
- 2) Use Save as... in your text editor to save the FVLinks.js file with a unique name (e.g. you can use ExpenseReport.js if you are setting up this functionality for an expense report form).
- 3) In your browser, go to the site that contains the form library or list you want to use, and click Site Content.
- 4) Click the FormsViewer icon to open FormsViewer.
- 5) Once FormsViewer is open, copy everything after the ? mark in your browser's address bar.
- 6) Paste the value from step 4 between the single quotation marks on line 3 of **FVLinks.js**. The resulting line should look something like this:

```
// PROVIDE A VALUE FOR queryString
var queryString = 'SPHostUrl=https%3A%2F%mydomain%2Esharepoint%2Ecom&SPLanguage=en-US&SPCL'
```

- 7) Place your template's name between the single quotation marks in line 5 of the file. This template name should match the template's name from FormsViewer's **Manage Templates** page. The result should look something like this:

```
// OPTIONAL: PROVIDE A VALUE FOR templateName
templateName = 'Expense Report';
```

- 8) *If your form is a list form* and you plan to use it with a list, locate the line of the file that says **var isList = false;** and change the **false** to **true**
- 9) Re-save the FVLinks.js file.
- 10) Login to your SharePoint site, go to the Style Library or Site Assets for that site and upload the file you have prepared.
- 11) Navigate to the form library that you want to configure.
- 12) Click the gear icon in the top right and click Edit Page.
- 13) Edit the library webpart.



- 14) Expand the Miscellaneous section and go to the JS Link property

Miscellaneous

Sample Data

XSL Link

☒ Enable Data View Caching

Data View Caching Time-out (seconds)

☒ Send first row to connected Web Parts when page loads

☐ Server Render

☒ Disable view selector menu

☒ Disable 'Save This View' button

☐ Display search box

JS Link

OK Cancel Apply

- 15) For the JS Link property enter the location of the file you uploaded in step 10 depending on where it is located, using a ~site or ~sitecollection placeholder.
 For example, if you uploaded the file with the name **ExpenseReport.js** to the Site Assets library of the site where you want to use it, you can use **~site/SiteAssets/ExpenseReport.js**.

Some other examples

~site/SiteAssets/FVLinks.js

~sitecollection/SiteAssets/ExpenseReport.js

~site/Style Library/FVLinks.js

~sitecollection/subsite name/SiteAssets/FVLinks.js

~sitecollection/subsite name/Style Library/FVLinks.js in the JS Link property

Hint: You can use **~sitecollection** to refer to the root of the current site collection or **~site** to refer to the root of the site.

- 16) Click OK to confirm your changes.
 17) In PAGE tab of the ribbon, click Stop Editing.
 18) The links in the webpart should now open in FormsViewer.