



How to turn off DBXL versioning

DBXL versioning is turned on by default, as it is necessary for certain scenarios. For safety purposes the checkbox in DAT is also disabled, so that it is not accidentally deactivated.

General	Database	Permissions	SharePoint	Documents	Taxonomy Tree
Database Configuration					
Connection String					Test Connection
Data Source=(LOCAL);Initial Catalog=QdabraUtility_EM;Integrated Security=True					
Submit Options					
☒ Enable History ☒ Report Shredding Errors to the Form User					


However, should you wish to turn off versioning (i.e. uncheck **Enable History**), follow these steps:

EXPORT

1. Download and install the DBXL Migration Tool.

The DBXL Migration Tool is available for free download from [this page](#). Be sure to download the version corresponding to your installation of DBXL.

2. Launch the DBXL Migration Tool (UI).




3. Enter the **DBXL Server Root** and click **Connect**.



<http://www.qdabra.com>

Last updated on 2/3/2012 5:03 PM

Copyright © 2006-2011 Autonomy Systems, LLC. All rights reserved.



4. From the Configuration dropdown, select your document type.
5. Check the checkbox for **Configuration** under **Items to Export**.
6. Enter an **Export Path**.
7. Click **Run**.

MANUALLY MODIFY THE FILE

8. Open the mapping.xml created by the DBXL Migration Tool in the **Export path**. You can use Notepad or a similar text editor.
9. Find `<HistoryFlg>true</HistoryFlg>`
10. Change this to `<HistoryFlg>false</HistoryFlg>`
11. Save and close mapping.xml.

IMPORT

12. Back in the DBXL Migration Tool UI, switch to the **Import** tab.
13. Click Load next to **Configuration**.
14. Select the document type from the **Configuration** dropdown.
15. Under **Items to import**, check **Configuration**.

Note: If you had a SQL Mapping configured, you'll need to enter a value for **Database server** and **Initial Catalog**. These will match the Connection string in DAT.



<http://www.qdabra.com>

Last updated on 2/3/2012 5:03 PM

Copyright © 2006-2011 Autonomy Systems, LLC. All rights reserved.

General	Database	Permissions	SharePoint	Documents	Taxonomy Tree
Database Configuration					
Connection String					
Data Source=(LOCAL);Initial Catalog=QdabraUtility_EM;Integrated Security=True					
Submit Options					
Items to import: ☐ Documents ☒ Configuration (Permissions, Database Mapping)					
Database server: (LOCAL) Initial catalog: QdabraUtility_EM					

16. Click **Run**.

When you go back into the DBXL Administration Tool, you'll see that the checkbox for **Enable History** is unchecked.

General	Database	Permissions	SharePoint	Documents	Taxonomy Tree
Database Configuration					
Connection String					
Data Source=(LOCAL);Initial Catalog=QdabraUtility_EM;Integrated Security=True					
Submit Options					
☐ Enable History ☒ Report Shredding Errors to the Form User					

SUPPORT

If you have questions about the information in this document, please contact us for assistance.

Licensed customers can contact us via Support@Qdabra.com.

Alternatively, please use the InfoPathDev.com Qdabra Product support forums to request help.



<http://www.qdabra.com>

Last updated on 2/3/2012 5:03 PM

Copyright © 2006-2011 Autonomy Systems, LLC. All rights reserved.